



SAFETY DATA SHEET

POLYETHYLENE GLYCOL PEG400

REVISION 6, DATE 10 MAY 2022

1. IDENTIFICATION

Product Name	Polyethylene glycol PEG400
Other Names	Ethylene glycol, homopolymer; Ethylene oxide, homopolymer; Poly(oxy-1,2-ethanediyl), .alpha.-hydro-.omega.-hydroxy-; Polyoxyethylene ether
Uses	Solubilising agent, Moisturiser.
Chemical Family	No Data Available
Chemical Formula	(C ₂ H ₄ O) _n H ₂ O
Chemical Name	Polyethylene glycol
Product Description	No Data Available

Contact Details of the Supplier of this Safety Data Sheet

Organisation	Location	Telephone
Redox Ltd	2 Swettenham Road Minto NSW 2566 Australia	+61-2-97333000
Redox Ltd	11 Mayo Road Wiri Auckland 2104 New Zealand	+64-9-2506222
Redox Inc.	3960 Paramount Boulevard Suite 107 Lakewood CA 90712 USA	+1-424-675-3200
Redox Chemicals Sdn Bhd	Level 2, No. 8, Jalan Sapir 33/7 Seksyen 33, Shah Alam Premier Industrial Park 40400 Shah Alam Sengalor, Malaysia	+60-3-5614-2111

Emergency Contact Details

For emergencies only; DO NOT contact these companies for general product advice.

Organisation	Location	Telephone
Poisons Information Centre	Westmead NSW	1800-251525 131126
Chemcall	Australia	1800-127406 +64-4-9179888
Chemcall	Malaysia	+64-4-9179888
Chemcall	New Zealand	0800-243622 +64-4-9179888
National Poisons Centre	New Zealand	0800-764766
CHEMTREC	USA & Canada	1-800-424-9300 CN723420 +1-703-527-3887

2. HAZARD IDENTIFICATION

Poisons Schedule (Aust)

Not Scheduled

Redox Ltd
Corporate Office Sydney
Locked Bag 15 Minto NSW 2566 Australia
2 Swettenham Road Minto NSW 2566 Australia
All Deliveries: 4 Holmes Road Minto NSW 2566 Australia

Phone +61 2 9733 3000
Fax +61 2 9733 3111
E-mail sydney@redox.com
Web www.redox.com
ABN 92 000 762 345

Australia
Adelaide
Brisbane
Melbourne
Perth
Sydney
New Zealand
Auckland
Christchurch
Hawke's Bay
UK
London
Malaysia
Kuala Lumpur
USA
Los Angeles
Oakland
Mexico
Saltillo



Globally Harmonised System

Hazard Classification	NOT hazardous according to the criteria of the Globally Harmonised System of Classification and Labelling of Chemicals (GHS)
Signal Word	None

National Transport Commission (Australia)

Australian Code for the Transport of Dangerous Goods by Road & Rail (ADG Code)

Dangerous Goods Classification	NOT Dangerous Goods according to the criteria of the Australian Code for the Transport of Dangerous Goods by Road & Rail (ADG Code)
---------------------------------------	---

3. COMPOSITION/INFORMATION ON INGREDIENTS

Ingredients

Chemical Entity	Formula	CAS Number	Proportion
Polyethylene glycol	(C ₂ H ₄ O) _n H ₂ O	25322-68-3	>99 - 100 %

4. FIRST AID MEASURES

Description of necessary measures according to routes of exposure

Swallowed	IF SWALLOWED: Rinse mouth, then drink plenty of water. Do not induce vomiting. Call a Poison Centre or doctor/physician for advice.
Eye	IF IN EYES: Immediately flush eyes with running water for several minutes, holding eyelids open and occasionally lifting the upper and lower lids. Remove contact lenses if present and easy to do. Continue rinsing for at least 15 minutes. If eye irritation persists, get medical advice/attention.
Skin	IF ON SKIN: Wash with plenty of soap and water. Take off contaminated clothing and wash it before reuse. If skin irritation occurs, get medical advice/attention.
Inhaled	IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. If respiratory symptoms persist, get medical advice/attention. Give artificial respiration if victim is not breathing. Administer oxygen if breathing is difficult.
Advice to Doctor	Treat symptomatically.
Medical Conditions Aggravated by Exposure	No information available.

5. FIRE FIGHTING MEASURES

General Measures	If safe to do so, move undamaged containers from fire area. Cool containers with water spray until well after fire is out.
Flammability Conditions	Combustible liquid; May burn but does not ignite readily. *Flame might be invisible in daylight.
Extinguishing Media	Use dry chemical, Carbon dioxide (CO ₂), foam or water spray for extinction.
Fire and Explosion Hazard	Containers may explode when heated. Fire may produce irritating and/or toxic fumes, including oxides of Carbon.

Hazardous Products of Combustion

Special Fire Fighting Instructions	Contain runoff from fire control or dilution water - Runoff may pollute waterways.
Personal Protective Equipment	Wear positive pressure self-contained breathing apparatus (SCBA). Structural firefighters' protective clothing will only provide limited protection.
Flash Point	>250 °C [Closed cup]
Lower Explosion Limit	No Data Available
Upper Explosion Limit	No Data Available
Auto Ignition Temperature	No Data Available
Hazchem Code	No Data Available

6. ACCIDENTAL RELEASE MEASURES

General Response Procedure	Ensure adequate ventilation. ELIMINATE all ignition sources (no smoking, flares, sparks or flames). Do not touch or walk through spilled material. Avoid breathing vapours and contact with eyes, skin and clothing.
Clean Up Procedures	Absorb with earth, sand or other non-combustible material and transfer to a suitable container for disposal (see SECTION 13).
Containment	Stop leak if safe to do so – Prevent entry into waterways, drains or confined areas.
Decontamination	No information available.
Environmental Precautionary Measures	Prevent entry into drains and waterways.
Evacuation Criteria	Spill or leak area should be isolated immediately. Keep unauthorised personnel away.
Personal Precautionary Measures	Wear protective equipment (see SECTION 8). *Persons not wearing protective equipment and clothing should be restricted from areas of spills or leaks until cleanup has been completed.

7. HANDLING AND STORAGE

Handling	Safety showers and eyewash facilities should be provided within the immediate work area for emergency use. Ensure adequate ventilation, especially in confined areas. Handle in accordance with good industrial hygiene and safety practice. Avoid breathing mist/vapours and contact with eyes, skin and clothing. Do not ingest. Use personal protective equipment as required (see SECTION 8).
Storage	Store in a cool, dry and well-ventilated place, out of direct sunlight. Keep containers securely sealed - Check regularly for leaks. Protect containers against physical damage. Keep away from heat and sources of ignition - No smoking. Keep away from foodstuffs and incompatible materials (see SECTION 10).
Container	Keep in the original container.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

General	No value assigned for this specific material by Safe Work Australia.
Exposure Limits	No Data Available
Biological Limits	No information available.
Engineering Measures	Operate in well-ventilated area.
Personal Protection Equipment	- Respiratory protection: Wear respiratory protection in case of inadequate ventilation or if an inhalation risk exists. Recommended: Organic vapour respirator (refer to AS/NZS 1715 & 1716). - Eye/face protection: Wear appropriate eye protection to avoid eye contact. Recommended: Safety glasses or goggles.

- Hand protection: Handle with gloves. Recommended: Rubber gloves.
- Skin/body protection: Wear appropriate personal protective clothing to avoid skin contact. Recommended: Protective working clothes and safety shoes.

Special Hazards Precautions

No information available.

Work Hygienic Practices

Do not eat, drink or smoke when using this product. Wash hands before break and at the end of work. Immediately remove all soiled and contaminated clothing. Keep work environment clean.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical State	Liquid
Appearance	Clear liquid
Odour	No information available.
Colour	No information available.
pH	5 - 7 (1% aq)
Vapour Pressure	No Data Available
Relative Vapour Density	>1 Air = 1
Boiling Point	No Data Available
Melting Point	No Data Available
Freezing Point	No Data Available
Solubility	Soluble in water (>100 g/100 ml)
Specific Gravity	1.110 - 1.130
Flash Point	>250 °C [Closed cup]
Auto Ignition Temp	No Data Available
Evaporation Rate	No Data Available
Bulk Density	No Data Available
Corrosion Rate	No Data Available
Decomposition Temperature	No Data Available
Density	No Data Available
Specific Heat	No Data Available
Molecular Weight	No Data Available
Net Propellant Weight	No Data Available
Octanol Water Coefficient	No Data Available
Particle Size	No Data Available
Partition Coefficient	No Data Available
Saturated Vapour Concentration	No Data Available
Vapour Temperature	No Data Available
Viscosity	No Data Available
Volatile Percent	No Data Available
VOC Volume	No Data Available
Additional Characteristics	No information available.
Potential for Dust Explosion	Not applicable.
Fast or Intensely Burning Characteristics	No information available.
Flame Propagation or Burning Rate of Solid Materials	No information available.
Non-Flammables That Could Contribute Unusual Hazards to a Fire	No information available.

Properties That May Initiate or Contribute to Fire Intensity	Combustible liquid; May burn but does not ignite readily. *Flame might be invisible in daylight.
Reactions That Release Gases or Vapours	Fire/thermal decomposition may produce irritating and/or toxic fumes, including oxides of Carbon.
Release of Invisible Flammable Vapours and Gases	No information available.

10. STABILITY AND REACTIVITY

General Information	No dangerous reactions known.
Chemical Stability	Product is stable under normal conditions.
Conditions to Avoid	Keep away from heat and sources of ignition.
Materials to Avoid	Incompatible/reactive with strong oxidising agents, strong acids.
Hazardous Decomposition Products	Fire/thermal decomposition may produce irritating and/or toxic fumes, including oxides of Carbon.
Hazardous Polymerisation	No information available.

11. TOXICOLOGICAL INFORMATION

General Information	Information on possible routes of exposure: - Ingestion: May cause gastrointestinal discomfort if consumed in large amounts. - Eye contact: May cause irritation. - Skin contact: May cause irritation. - Inhalation: Inhalation of vapours in high concentration may cause irritation of respiratory system. Chronic effects: No information available.
Carcinogen Category	None

12. ECOLOGICAL INFORMATION

Ecotoxicity	No information available.
Persistence/Degradability	No information available.
Mobility	No information available.
Environmental Fate	Prevent entry into drains and waterways,
Bioaccumulation Potential	No information available.
Environmental Impact	No Data Available

13. DISPOSAL CONSIDERATIONS

General Information	Dispose of contents/container in accordance with local/regional/national regulations.
Special Precautions for Land Fill	No information available.

14. TRANSPORT INFORMATION**Land Transport (Australia)**

ADG Code

Proper Shipping Name	Polyethylene glycol PEG400
Class	C2 Combustible Liquids - Flash Point >93°C, Closed Cup, Not Excluded Flammable
Subsidiary Risk(s)	No Data Available
	No Data Available
UN Number	No Data Available
Hazchem	No Data Available
Pack Group	No Data Available
Special Provision	No Data Available
Comments	NON-DANGEROUS GOODS: Not regulated for LAND transport.

Land Transport (Malaysia)

ADR Code

Proper Shipping Name	Polyethylene glycol PEG400
Class	No Data Available
Subsidiary Risk(s)	No Data Available
	No Data Available
UN Number	No Data Available
Hazchem	No Data Available
Pack Group	No Data Available
Special Provision	No Data Available
Comments	NON-DANGEROUS GOODS: Not regulated for LAND transport.

Land Transport (New Zealand)

NZS5433

Proper Shipping Name	Polyethylene glycol PEG400
Class	No Data Available
Subsidiary Risk(s)	No Data Available
	No Data Available
UN Number	No Data Available
Hazchem	No Data Available
Pack Group	No Data Available
Special Provision	No Data Available
Comments	NON-DANGEROUS GOODS: Not regulated for LAND transport.

Land Transport (United States of America)

US DOT

Proper Shipping Name	Polyethylene glycol PEG400
Class	No Data Available
Subsidiary Risk(s)	No Data Available
	No Data Available
UN Number	No Data Available
Hazchem	No Data Available

Pack Group	No Data Available
Special Provision	No Data Available
Comments	NON-DANGEROUS GOODS: Not regulated for LAND transport.

Sea Transport

IMDG Code

Proper Shipping Name	Polyethylene glycol PEG400
Class	No Data Available
Subsidiary Risk(s)	No Data Available
UN Number	No Data Available
Hazchem	No Data Available
Pack Group	No Data Available
Special Provision	No Data Available
EMS	No Data Available
Marine Pollutant	No
Comments	NON-DANGEROUS GOODS: Not regulated for SEA transport.

Air Transport

IATA DGR

Proper Shipping Name	Polyethylene glycol PEG400
Class	No Data Available
Subsidiary Risk(s)	No Data Available
UN Number	No Data Available
Hazchem	No Data Available
Pack Group	No Data Available
Special Provision	No Data Available
Comments	NON-DANGEROUS GOODS: Not regulated for AIR transport.

National Transport Commission (Australia)

Australian Code for the Transport of Dangerous Goods by Road & Rail (ADG Code)

Dangerous Goods Classification	NOT Dangerous Goods according to the criteria of the Australian Code for the Transport of Dangerous Goods by Road & Rail (ADG Code)
--------------------------------	---

15. REGULATORY INFORMATION

General Information	No Data Available
Poisons Schedule (Aust)	Not Scheduled

Environmental Protection Authority (New Zealand)

Hazardous Substances and New Organisms Amendment Act 2015

Approval Code	Not Hazardous
---------------	---------------

National/Regional Inventories

Australia (AIIC)	Listed
Canada (DSL)	Not Determined
Canada (NDSL)	Not Determined
China (IECSC)	Not Determined
Europe (EINECS)	500-038-2
Europe (REACH)	Not Determined
Japan (ENCS/METI)	Not Determined
Korea (KECI)	Not Determined
Malaysia (EHS Register)	Not Determined
New Zealand (NZIoC)	Listed
Philippines (PICCS)	Not Determined
Switzerland (Giftliste 1)	Not Determined
Switzerland (Inventory of Notified Substances)	Not Determined
Taiwan (NCSR)	Not Determined
USA (TSCA)	Not Determined

16. OTHER INFORMATION

Related Product Codes	POETGL0700, POETGL3900, POETGL3901, POETGL4000, POETGL4001, POETGL4002, POETGL4003, POETGL4004, POETGL4005, POETGL4006, POETGL4007, POETGL4095, POETGL4100, POETGL4101, POETGL4102, POETGL4103, POETGL4104, POETGL4200, POETGL4201, POETGL4202, POETGL4240, POETGL4250, POETGL4251, POETGL4300, POETGL4317, POETGL4319, POETGL4322, POETGL4328, POETGL4342, POETGL4343, POETGL4400, POETGL4401, POETGL4900, POETGL4901, POETGL4902, POETGL4910, POETGL4911, POETGL4940, POETGL4941, POETGL4945, POETGL7040, POETGL7042, POETGL7044, POETGL9000, POETGL9010, POETGL9400
Revision	6
Revision Date	10 May 2022
Reason for Issue	update sds
Key/Legend	< Less Than > Greater Than AICS Australian Inventory of Chemical Substances atm Atmosphere CAS Chemical Abstracts Service (Registry Number) cm² Square Centimetres CO₂ Carbon Dioxide COD Chemical Oxygen Demand deg C (°C) Degrees Celcius EPA (New Zealand) Environmental Protection Authority of New Zealand deg F (°F) Degrees Farenheit g Grams g/cm³ Grams per Cubic Centimetre g/l Grams per Litre HSNO Hazardous Substance and New Organism IDLH Immediately Dangerous to Life and Health immiscible Liquids are insoluable in each other.

inHg Inch of Mercury**inH₂O** Inch of Water**K** Kelvin**kg** Kilogram**kg/m³** Kilograms per Cubic Metre**lb** Pound**LC₅₀** LC stands for lethal concentration. LC₅₀ is the concentration of a material in air which causes the death of 50% (one half) of a group of test animals. The material is inhaled over a set period of time, usually 1 or 4 hours.**LD₅₀** LD stands for Lethal Dose. LD₅₀ is the amount of a material, given all at once, which causes the death of 50% (one half) of a group of test animals.**ltr** or **L** Litre**m³** Cubic Metre**mbar** Millibar**mg** Milligram**mg/24H** Milligrams per 24 Hours**mg/kg** Milligrams per Kilogram**mg/m³** Milligrams per Cubic Metre**Misc** or **Miscible** Liquids form one homogeneous liquid phase regardless of the amount of either component present.**mm** Millimetre**mmH₂O** Millimetres of Water**mPa.s** Millipascals per Second**N/A** Not Applicable**NIOSH** National Institute for Occupational Safety and Health**NOHSC** National Occupational Health and Safety Commission**OECD** Organisation for Economic Co-operation and Development**Oz** Ounce**PEL** Permissible Exposure Limit**Pa** Pascal**ppb** Parts per Billion**ppm** Parts per Million**ppm/2h** Parts per Million per 2 Hours**ppm/6h** Parts per Million per 6 Hours**psi** Pounds per Square Inch**R** Rankine**RCP** Reciprocal Calculation Procedure**STEL** Short Term Exposure Limit**TLV** Threshold Limit Value**tne** Tonne**TWA** Time Weighted Average**ug/24H** Micrograms per 24 Hours**UN** United Nations**wt** Weight